


## COMPACT H45 (OPTIONAL SOFT-CLOSE)



**V-5045**

**V-5050**



## COMPONENTI | COMPONENTS | EINZELTEILE



V-5045



V-5042 90 Kg



V-5052 70 Kg




V-5046-120 (OPTIONAL)-120 Kg  
V-5046-70 C (OPTIONAL)-70 Kg




V-012

V-5051




$$HM = H + 25$$

LAVORAZIONE VETRO  
GLASS PREPARATION  
GLASBEARBEITUNG



LAVORAZIONE VETRO CON SOFT-CLOSE V-5046-120  
GLASS PREPARATION WITH SOFT-CLOSE V-5046-120  
GLASBEARBEITUNG MIT SOFT-CLOSE V-5046-120




### V-5045 | V-5050 SET 1

- Set per 1 anta scorrevole, fissaggio a parete/soffitto
- Sliding door set, wall/ceiling installation
- Schiebetürset 1-flügelig, Wand-Deckenmontage


### V-5045 | V-5050 SET 2

- Set per 2 ante scorrevoli, fissaggio a parete/soffitto
- Sliding doors set, wall/ceiling installation
- Schiebetürset 2-flügelig, Wand-Deckenmontage



$$LB = LP \times 2 + 150$$

$$LM = LP + 100$$



$$LB = LP \times 2 + 100$$

$$LM = (LP + 100) / 2$$

xme552a

| Cod.                                             | Fin.   Acab. Fin. | V-5045 SET 1 FIX | V-5045 SET 1 MIS | V-5045 SET 2 FIX | V-5045 SET 2 MIS | V-5050 SET 1 FIX | V-5050 SET 1 MIS | V-5050 SET 2 FIX | V-5050 SET 2 MIS |
|--------------------------------------------------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| V-5045 L=2000 L=3000 L=4000 L=6000               | AN / IXE          | 1                | —                | 1                | —                | 1                | —                | 1                | —                |
| V-5045-MIS L=1500 → 6000                         | AN / IXE          | —                | 1                | —                | 1                | —                | 1                | —                | 1                |
| V-5042                                           | —                 | 1                | 1                | 2                | 2                | —                | —                | —                | —                |
| V-5052                                           | —                 | —                | —                | —                | —                | 1                | 1                | 2                | 2                |
| V-5046-120-120 Kg   V-5046-70 C-70 Kg (OPTIONAL) | —                 | (1)              | (1)              | (2)              | (2)              | (1)              | (1)              | (2)              | (2)              |
| V-5051                                           | AN / IXE          | 1                | 1                | 1                | 1                | 1                | 1                | 1                | 1                |
| V-012                                            | AN / NS           | 1                | 1                | 2                | 2                | 1                | 1                | 2                | 2                |

# COMPACT (OPTIONAL SOFT-CLOSE) V-5045 | V-5050 | V-5040 | V-5035

## COMPONENTI | COMPONENTS | EINZELTEILE




### V-5045

- Guida di scorrimento completa di veletta
- Track profile with profile cover
- Führungsschiene mit Profilabdeckung
- AN - IXE



- Clip fissaggio veletta
- Clip fixing cover profile
- Clip für Befestigung Profil Abdeckung



| Cod.           | Fin./Acab./Fin. |
|----------------|-----------------|
| V-5045-2000 mm | AN / IXE        |
| V-5045-3000 mm | AN / IXE        |
| V-5045-4000 mm | AN / IXE        |
| V-5045-6000 mm | AN / IXE        |
| V-5045-MIS*    | AN / IXE        |

\* cut to size  
\* corte a medida  
\* coupe à la taille

mm 1500/6000


xme552c

### V-5040

- Guida di scorrimento completa di veletta
- Track profile with profile cover
- Führungsschiene mit Profilabdeckung
- AN - IXE



- Clip fissaggio veletta
- Clip fixing cover profile
- Clip für Befestigung Profil Abdeckung



| Cod.           | Fin./Acab./Fin. |
|----------------|-----------------|
| V-5040-2000 mm | AN / IXE        |
| V-5040-3000 mm | AN / IXE        |
| V-5040-4000 mm | AN / IXE        |
| V-5040-6000 mm | AN / IXE        |
| V-5040-MIS*    | AN / IXE        |


\* cut to size  
\* corte a medida  
\* coupe à la taille

mm 1500/6000

xme552c

### V-5042


- Set accessori per 1 anta scorrevole composto da: 2 carrelli con bilanciere a 2 ruote, morsetti e 2 stoppers
- Accessory set for 1 sliding panel consisting of 2 seesaw carriers with 2 rollers and 2 stoppers.
- Zubehör komplett für 1 Schiebetür bestehend aus: N° 2 Wippenaufwagen mit 2 Laufrollen - N° 2 Stopper



xme508d/e

### V-5052


- Set accessori per 1 anta scorrevole composto da: 2 carrelli con 1 ruota, morsetti e 2 stoppers
- Accessory set for 1 sliding panel consisting of 2 roller carriers with 1 roller and 2 stoppers.
- Zubehör komplett für 1 Schiebetür bestehend aus: N° 2 Klemm - Laufwagen mit 1 Laufrolle - N° 2 Stopper



xme508d/e

### V-5046-70 C 70 Kg


- Set 2 stoppers Soft-close (per 1 anta)
- Set 2 stoppers Soft-close (for 1 sliding panel)
- Set 2 stoppers Soft-close mit Selbsteinzug (für 1 Schiebetür)



xme552d

### V-5046-120 120 Kg

- Set 2 stoppers Soft-close (per 1 anta)
- Set 2 stoppers Soft-close (for 1 sliding panel)
- Set 2 stoppers Soft-close mit Selbsteinzug (für 1 Schiebetür)



xme552d

### V-5036-70 70 Kg

- Set 2 stoppers Soft-close (per 1 anta)
- Set 2 stoppers Soft-close (for 1 sliding panel)
- Set 2 stoppers Soft-close mit Selbsteinzug (für 1 Schiebetür)




xme552d

### V-5051

- Paio tappi finali per guida di scorrimento V-5045.
- Pair endcaps for track profile V-5045.
- Paar Endkappen für Laufschiene V-5045.

AN-IXE




xme552c

### V-5041

- Paio tappi finali per guida di scorrimento V-5040.
- Pair endcaps for track profile V-5040.
- Paar Endkappen für Laufschiene V-5040.

AN-IXE



xme552c

### V-012

- Floor guide with felt strips for glass sliding door a 8 and 10mm.
- Guía al suelo con almohadillas de fieltro para vidrio de 8 y 10 mm.
- Guide au sol avec intercalaire pour porte coulissante 8 et 10 mm.
- AN - NS - CR
- Altri modelli disponibili a pag. A.168
- Other models available on page A.168
- Weitere Modelle auf Seite A.168



V-012