

B-8000-WN CMR


eP H.03

- Balastra regolabile.
Optional supporti LED.
- Adjustable railing system.
Optional LED supports.
- Verstellbares Ganzglasgeländer
System.
Optional LED Auflage.





COMPONENTI / COMPONENTS / EINZELTEILE






B-8000-WN+B-8001-CF2

- Profilo balastra + 2 Vette
- Railing profile + 2 Cover profiles
- Profil für Geländer mit 2 Abdeckungen





B-SET-CMR-8 / B-SET-CMR-10 / B-SET-CMR-12

- Set morsetti e guarnizioni
- Set clamps and gaskets
- Set Klemmen und Dichtungen



xme604a



Set completo/mt L = 3000 / 6000 mm Complete set/mt L = 3000 / 6000 mm Komplett-Set L = 3000 / 6000 mm	FIN. FIN. OB.	Vetro Glass Glas	Morsetti/mt Clamps/mt Klemmen/lfm	Testato spinta Test side force Getestete Seitenkraft	Classe Class IT Klasse	Testato Tested Bestätigte horizontale Nutzlast
B-8000-WN-8	AN	8+8 1,52 pvb	2	150 kg	1	1 kN/m = 100 kg/m
B-8000-WN-10	AN	10+10 1,52 pvb	2 / 3 [^]	300 kg / 450 kg [^]	2	2 kN/m = 200 kg/m / 3 kN/m [^]
B-8000-WN-12	AN	12+12 1,52 pvb	3	450 kg	3	3 kN/m = 300 kg/m


* B-8000 - W profilo dedicato per utilizzo con BWC-WATERCAP (► 18)

[^] Class 3 = +1 B-8008 / m + 2 B-2005 / m

B-8000-G CMR

- Balastra regolabile.
Optional supporti LED.
- Adjustable railing system.
Optional LED supports.
- Verstellbares
Ganzglasgeländer System.
Optional LED Auflage.





COMPONENTI / COMPONENTS / EINZELTEILE




B-8000-G

- Profilo balaustre grezzo senza velette
- Railing profile raw without cover profiles
- Profil für Geländer roh ohne Abdeckungen




B-8001-CF2 / B-8051-CF2 / B-8121-CF2

- Velette
- Cover profiles
- Abdeckungen




B-SET-CMR-8 / B-SET-CMR-10 / B-SET-CMR-12

- Set morsetti e guarnizioni
- Set clamps and gaskets
- Set Klemmen und Dichtungen



- Accessori per montaggio facile e veloce (vedi video)
- Accessories for easy and quick installation (see video)
- Zubehör für einfache und schnelle Montage (Siehe Video)



Set completo/mt L = 3000 / 6000 mm Complete set/mt L = 3000 / 6000 mm Komplett-Set L = 3000 / 6000 mm	FIN. FIN. OB.	Vetro Glass Glas	Morsetti/mt Clamps/mt Klemmen/lfm	Testato spinta Test side force Getestete Seitenkraft	Classe Class IT Klasse	Testato Tested Bestätigte horizontale Nutzlast
^B-8000-G SET 1,5 KN 8	GR	8+8 1,52 pvb	2	150 kg	1	1 kN/m = 100 kg/m
^B-8000-G SET 3 KN 10	GR	10+10 1,52 pvb	2	300 kg	2	2 kN/m = 200 kg/m
^B-8000-G SET 4,5 KN 12	GR	12+12 1,52 pvb	3	450 kg	3	3 kN/m = 300 kg/m

^ senza velette / without cover profiles / ohne Abdeckungen

* **B-8000 - W** profilo dedicato per utilizzo con **BWC-WATERCAP** (► 18)

SET COMPOSTO DA SET CONSISTING OF SET BESTEHEND AUS	FIN. FIN. OB.	B-8000-G SET 1,5 KN 8	B-8000-G SET 3 KN 10	B-8000-G SET 4,5 KN 12
B-8000-G	GR	1 pz/pcs L = 3000 mm	1 pz/pcs L = 3000 mm	1 pz/pcs L = 3000 mm
B-SET-CMR-8	-	1	-	-
B-SET-CMR-10	-	-	1	-
B-SET-CMR-12	-	-	-	1
B-8001-CF2 optional velette / optional cover profiles / optional Abdeckungen	AN - IXE	(1)	(1)	(1)
B-8051-CF2 optional velette / optional cover profiles / optional Abdeckungen	AN - IXE	(1)	(1)	(1)
B-8121-CF2 optional velette / optional cover profiles / optional Abdeckungen	AN - IXE	(1)	(1)	(1)