

GUIDA TECNICA PER LA SCELTA DEL TUO "PROFILO A TERRA" SECONDO TIPOLOGIE


TECHNICAL GUIDE FOR THE CHOICE OF YOUR "FLOOR PROFILE" BY TYPOLOGIES

AUSWAHL VON "BODENPROFIL" NACH VORHANDENEN KRITERIEN

Per i modelli: / For models: / Für Modelle:

**BX-1501, BX-4000, BX-6000, BX-6020,
BX-5000, BX-6050, BX-DIV5000**

SET 1





SCORREVOLI






BX-PT-01 STANDARD

- Vetro fisso nel profilo continuo H 16 mm.
- Fixed glass in shower entry floor profile H 16 mm.
- Festverglasung im Duscheinstieg Bodenprofil H 16 mm.





BX-PT-02 SOLO PORTA OPTIONAL

- Vetro fisso su piatto doccia, solo profilo entrata H 16 mm.
- Fixed glass on shower tray, only shower entry floor profile H 16 mm.
- Festverglasung auf Duschtasse, Duscheinstieg Bodenprofil H 16 mm.






BX-PT-03 RASO DOCCIA OPTIONAL

- Vetro fisso su piatto doccia, profilo entrata H 8 mm.
- Fixed glass on shower tray, shower entry floor profile H 8 mm.
- Festverglasung auf Duschtasse, Duscheinstieg Bodenprofil H 8 mm.








SCEGLIERE FONDO PREFERITO

CHOOSE FAVORITE FLOOR PROFILES / WÄHLEN SIE IHR GEWÜNSCHTES BODENPROFIL

SET 2

SET 3

SET 4


SCORREVOLI



HM
 Altezza vetro mobile
 Sliding glass height
 Schiebeflügel Höhe


HF
 Altezza vetro fisso
 Side fixed glass height
 Seitenteil Höhe

A

BX-PT-01 STANDARD
COMPONENTI / COMPONENTS / EINZELTEILE

Per modelli: / For models: / Für Modelle:
BX-1501, BX-4000, BX-6000, BX-6020,
BX-5000, BX-6050, BX-DIV5000

- Vetro fisso nel profilo continuo H 16 mm.
- Fixed glass in shower entry floor profile H 16 mm.
- Festverglasung im Duscheinstieg Bodenprofil H 16 mm.




SET ▶ 16

SCORREVOLI




BX-PT-C58

- Profilo per fissaggio a terra o laterale
- Profile for floor and side installation
- Profil Boden- Wandmontage




Cod.	Fin./Fin./Oberf.
BX-PT-C58-1500 mm	CR / NO / OR / IX / BI
BX-PT-C58-3000 mm	CR / NO / OR / IX / BI



BX-PT-C56

- Coperchio per profilo a terra per tratto entrata doccia.
- Cover profile for floor profile, shower entry.
- Profilabdeckung Bodenprofil, Duscheinstieg.




Cod.	Fin./Fin./Oberf.
BX-PT-C56-1500 mm	CR / NO / OR / IX / BI
BX-PT-C56-3000 mm	CR / NO / OR / IX / BI




BX-PT-C50

- Guida vetro scorrevole per applicazione con profilo a terra.
 - Floor guide sliding panel for installation with floor profile.
 - Schiebetür Bodenführung für Montage mit Bodenprofil.
- CR - NO




BX-PT-C57

- Angolo 90° lato entrata doccia ad angolo per profili BX-PT-C58 / BX-PT-C56.
 - Joint 90° corner entry for profiles BX-PT-C58 / BX-PT-C56.
 - 90° Verbindung Eckeinstieg für Profile BX-PT-C58 / BX-PT-C56.
- CR - NO - NS - BI - OR




BX-PT-C51

- Angolo 90° vetro fisso/vetro fisso per profilo BX-PT-C58.
 - Joint 90° fixed/fixed glass for profile BX-PT-C58.
 - 90° Verbindung 2 Festverglasungen für Profil BX-PT-C58.
- CR - NO - NS - BI - OR




BX-PT-C52

- Angolo 90° per lato entrata doccia e lato vetro fisso dx e sx per profili BX-PT-C58 / BX-PT-C56.
 - Joint 90° entry and fixed glass, left and right for profiles BX-PT-C58 / BX-PT-C56.
 - 90° Verbindung Einstieg-Festverglasung, Links und Rechts für Profile BX-PT-C58 / BX-PT-C56.
- CR - NO - NS - BI - OR



BX-PT-C60

- Coperchietto finale per profili BX-PT-C58 / BX-PT-C56.
 - Endcap for profiles BX-PT-C58 / BX-PT-C56.
 - Endkappe für Profile BX-PT-C58 / BX-PT-C56.
- CR - NO - NS - BI - OR



CR
Cromo lucido
Polished chrome
Chrom glänzend

NO
Nero opaco
Matt black
Matt schwarz

NS
Nickel satinato
Satin nickel
Ähnlich edelstahl matt


IX
Effetto inox satinato
Inox effect
Inox effekt

BI
Bianco opaco
Matt white
Weiss matt

OR
Oro opaco
Matt gold
Gold matt

B BX-PT-02 SOLO PORTA OPTIONAL

COMPONENTI / COMPONENTS / EINZELTEILE



Per modelli: / For models: / Für Modelle:
BX-1501, BX-4000, BX-6000, BX-6020,
BX-5000, BX-6050, BX-DIV5000

- Vetro fisso su piatto doccia, solo profilo entrata H 16 mm.
- Fixed glass on shower tray, only shower entry floor profile H 16 mm.
- Festverglasung auf Duschtasse, Duscheinstieg Bodenprofil H 16 mm.


SET ► 16

SCORREVOLI




BX-PT-C58

- Profilo per fissaggio a terra o laterale
- Profile for floor and side installation
- Profil Boden- Wandmontage




Cod.	Fin./Fin./Oberf.
BX-PT-C58-1500 mm	CR / NO / OR / IX / BI
BX-PT-C58-3000 mm	CR / NO / OR / IX / BI



BX-PT-C56

- Coperchio per profilo a terra per tratto entrata doccia.
- Cover profile for floor profile, shower entry.
- Profilabdeckung Bodenprofil, Duscheinstieg.




Cod.	Fin./Fin./Oberf.
BX-PT-C56-1500 mm	CR / NO / OR / IX / BI
BX-PT-C56-3000 mm	CR / NO / OR / IX / BI



BX-PT2-C50


- Guida vetro scorrevole per applicazione con profilo a terra.
- Floor guide sliding panel for installation with floor profile.
- Schiebetür Bodenführung für Montage mit Bodenprofile.



BX-PT-C51


- Angolo 90° vetro fisso/vetro fisso per profilo BX-PT-C58.
- Joint 90° fixed/fixed glass for profile BX-PT-C58.
- 90° Verbindung 2 Festverglasungen für Profil BX-PT-C58.

CR - NO - NS - BI - OR



BX-PT-C57


- Angolo 90° lato entrata doccia ad angolo per profili BX-PT-C58 / BX-PT-C56.
- Joint 90° corner entry for profiles BX-PT-C58 / BX-PT-C56.
- 90° Verbindung Eckeinstieg für Profile BX-PT-C58 / BX-PT-C56.



BX-PT-C52

- Angolo 90° per lato entrata doccia e lato vetro fisso dx e sx per profili BX-PT-C58 / BX-PT-C56.
- Joint 90° entry and fixed glass, left and right for profiles BX-PT-C58 / BX-PT-C56.
- 90° Verbindung Einstieg-Festverglasung, Links und Rechts für Profile BX-PT-C58 / BX-PT-C56.


CR - NO - NS - BI - OR



BX-PT-C60

- Coperchietto finale per profili BX-PT-C58 / BX-PT-C56.
- Endcap for profiles BX-PT-C58 / BX-PT-C56.
- Endkappe für Profile BX-PT-C58 / BX-PT-C56.



CR - NO - NS - BI - OR



V-012-REG

- Guida a pavimento regolabile per vetro da 8 a 13,5 mm.
- Floor guide adjustable for glass from 8 to 13,5 mm.
- Bodenführung verstellbar für Glas von 8 bis 13,5mm.

AN - NS - CR



CR
Cromo lucido
Polished chrome
Chrom glänzend

NO
Nero opaco
Matt black
Matt schwarz

AN
Alluminio anodizzato
Aluminium anodized
Aluminium Silberfarbig

NS
Nickel satinato
Satin nickel
Ähnlich Edelstahl matt

IX
Effetto inox satinato
Inox effect
Inox effekt


BI
Bianco opaco
Matt white
Weiss matt

OR
Oro opaco
Matt gold
Gold matt

C

BX-PT-03 RASO DOCCIA OPTIONAL
COMPONENTI / COMPONENTS / EINZELTEILE

Per modelli: / For models: / Für Modelle:
BX-1501, BX-4000, BX-6000, BX-6020,
BX-5000, BX-6050, BX-DIV5000



- Vetro fisso su piatto doccia, profilo entrata H 8 mm.
- Fixed glass on shower tray, shower entry profile H 8 mm.
- Festverglasung auf Duschtasse, Duscheinstieg Bodenprofil H 8 mm.

SET ▶ 16



P-017

- Profilo gocciolatoio
- Splash guard profile
- Schwallenschutz Profil

CR - NO



B-147
Option




Cod.	Fin./Fin./Oberf.
P-017-2100 mm	CR / NO



BX-PT3-C50

- Guida vetro scorrevole per applicazione con profilo a terra P-017.
- Floor guide sliding panel for installation with floor profile P-017.
- Schiebetür Bodenführung für Montage mit Bodenprofil P-017.


CR



BX-PT3-C57

- Angolo 90° lato entrata doccia per profili P-017.
- Joint 90° corner entry for profiles P-017.
- 90° Verbindung Eckeinstieg für Profile P-017.


CR - NO



BX-PT3-C60

- Coperchietto finale per profili P-017, destro e sinistro.
- Endcap for profiles P-017, left and right.
- Endkappe für Profile P-017 Links und Rechts.


CR - NO




V-012-REG

- Guida a pavimento regolabile per vetro da 8 a 13,5 mm.
- Floor guide adjustable for glass from 8 to 13,5 mm.
- Bodenführung verstellbar für Glas von 8 bis 13,5 mm.

AN - NS - CR





Regolabile
Adjustable
Verstellbar



V-012-EVO

- Guida a pavimento regolabile per vetro 8-10-12 mm
- Floor guide adjustable for glass 8-10-12 mm
- Bodenführung verstellbar für Glas 8-10-12 mm

AN - NS - NO - CR



v-012new

CR
Cromo lucido
Polished chrome
Chrom glänzend

NO
Nero opaco
Matt black
Matt schwarz

AN
Alluminio anodizzato
Aluminium anodized
Aluminium Silberfarbig

NS
Nickel satinato
Satin nickel
Ähnlich Edelstahl matt

SCORREVOLI

